

## Strain relief - EV-T2M3SO-CAP - 1202424

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




CHARX connect, Strain relief, Touch protection, For generation 2.0 infrastructure charging socket, For plugging onto the rear of the infrastructure charging socket, Type 2, IEC 62196-2, Generation 2

### Your advantages

- ✓ Developed and produced in accordance with the IATF 16949 automotive standard and ISO 9001
- ✓ Individual branding, thanks to the use your own logo
- ✓ Reliable protection of your socket outlet from weather and vandalism



### Key Commercial Data

Packing unit	1
GTIN	 4 063151 267186
GTIN	4063151267186
Custom tariff number	85389099

### Technical data

#### Product definition

Type	Touch protection
Application	For generation 2.0 infrastructure charging socket For plugging onto the rear of the infrastructure charging socket
Design	Generation 2
Standards/regulations	IEC 62196-2
Charging standard	Type 2
Charging mode	Mode 3

#### Dimensions

# Strain relief - EV-T2M3SO-CAP - 1202424

## Technical data

### Dimensions

Height	57 mm
Width	64 mm
Depth	32.06 mm

### Ambient conditions

Ambient temperature (operation)	-30 °C ... 50 °C
Ambient temperature (storage/transport)	-40 °C ... 80 °C

### Design

Design line	Generation 2
Housing color	black

### Material

Material protective cap	Plastic
Flammability rating	V0

### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

## Classifications

### eCl@ss

eCl@ss 10.0.1	27144792
eCl@ss 11.0	27144792
eCl@ss 9.0	27144792

### ETIM

ETIM 7.0	EC002884
----------	----------

## Accessories

### Accessories

### Assembly tool

Tool - EV-T2M3SO-CAP-REMOVER - 1286836

CHARX connect, tool for opening the optional cap for attachment to the back of the Generation 2.0 Basic infrastructure charging socket with functions for strain relief and touch protection.

