

# Battery Disconnecter, 200A, 1 Pole



[View on TE.com >](#)

Switches > Battery Disconnect Switches

Series 35 200A Battery Disconnecter with one pole, a lever-style activator, and rotary-style switch. Sealing meets the IP67 and IP6K9K standards.



Number of Poles: 1

Number of Auxiliary Contacts: 0

## KISSLING Battery Disconnecter

### Series 35 / 200A

Our manually operated battery disconnecter up to 200 amps meets the most demanding requirements in all vehicle applications. The nominal current ratings refer to continuous DC current at up to 100% duty cycle and the switches are built to switch under full load. All series 35 battery disconnectors are sealed with a technology that meets the IP67 and IP6K9K (steam pressure cleaning) standards and the switches are designed to operate at temperatures between -40°C and +85°C.

### Key Features

- Sealed housing conforms to IP6K9K
- Robust design
- 6G shock and 4G vibration resistant
- Main contact current rated for continuous current and 100% duty cycle
- Battery disconnection under load in case of an emergency
- Variable or scalable mounting options
- Safety in the vehicle service by so called "LOCK" options (only two pole)

## Features

### Product Type Features

Sealed Device	Yes
---------------	-----

### Configuration Features

Number of Poles	1
Number of Auxiliary Contacts	0
Switch Keying Option	Not Removable, Removable With Chain, Removable Without Chain

### Electrical Characteristics

Operating Voltage (VAC)	20
Operating Voltage (VDC)	32, 48, 80
Switch Main Contact Current Rating (A)	200, 250

### Body Features

Operating Handle Color	Black, Green, Red, Yellow
------------------------	---------------------------

### Mechanical Attachment

Termination Thread Size	D12, D8, M10, M8
Switch Mounting Option	Center Mount, Long Flange, Round Flange
Operating Handle Type	45° Turn Off, Double Wing, Lever, Lever Extended Shaft, Pointer Key, T-Handle

### Dimensions

Centerline Between Flange Screw Holes (mm)	100, 38
Centerline Between Flange Screw Holes (in)	1.5, 3.937
Screw Hole Diameter (mm)	6.5, 7, 8.5
Screw Hole Diameter (in)	.256, .276, .335

### Usage Conditions

Operating Temperature Range (°C)	-40 - 85
Operating Temperature Range (°F)	-40 - 185

### Reference Number

TE Internal Number	CAT-AL4-SBD352001
--------------------	-------------------

SEE PRODUCTS ON NEXT PAGE

Products (1 of 5)



**Battery Disconnecter 35-210-041-S-902**

**Battery Disconnecter 35-210-141-R**

**Battery Disconnecter 35-213-151-R**

**Battery Disconnecter 35-213-151-R-900**

TE Part #	K1125195	K1131877	K1124800	K1127520
Operating Voltage	32 VDC	20 VAC	20 VAC	32 VDC
Switch Main Contact Current Rating	200 A	200 A	200 A	200 A
Termination Thread Size	D8	M10	M10	M10
Switch Mounting Option	Round Flange	Round Flange	Center Mount	Center Mount
Operating Handle Type	Double Wing	Double Wing	Pointer Key	Pointer Key
Switch Keying Option	Not Removable	Not Removable	Not Removable	Not Removable
Operating Handle Color	Black	Red	Red	Red
EU RoHS Directive 2011/65/EU	Not Yet Reviewed for EU RoHS	EU RoHS Compliant with Exemptions	EU RoHS Compliant with Exemptions	EU RoHS Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed for EU ELV	EU ELV Compliant with Exemptions	EU ELV Compliant with Exemptions	EU ELV Compliant with Exemptions
Product Families	KISSLING	KISSLING	KISSLING	KISSLING
Series	KISSLING Series 35	KISSLING Series 35	KISSLING Series 35	KISSLING Series 35

**\*EU RoHS Directive 2011/65/EU**

These products comply with the substance restrictions of the Restriction on Hazardous Substances Directive 2011/65/EU (RoHS2). The RoHS2 Directive requires that certain electrical and electronic equipment products do not contain mercury, cadmium, hexavalent chromium, PBB, PBDE, lead, DEHP, BBP, DBP and DIBP above defined thresholds. Products indicated as 'Compliant' do not contain any of these substances above the prohibition thresholds. Finished electrical and electronic equipment products will be CE marked as required by the Directive. Components may not be CE marked.

**\*\*EU ELV Directive 2000/53/EC**

These products comply with the substance restrictions of the End of Life Vehicles Directive 2000/53/EC (ELV). The ELV Directive requires that materials and components of vehicles do not contain mercury, cadmium, hexavalent chromium, and lead above defined thresholds. Products indicated as 'Compliant' do not contain any of these substances above the prohibition thresholds.

Products (2 of 5)



Battery Disconnecter 35-213-151-R-903



Battery Disconnecter 35-210-041-S



Battery Disconnecter 35-210-100-R-900



Battery Disconnecter 35-200

TE Part #	K1145444	K1151411	K1146614	K1060161
Operating Voltage	32 VDC	20 VAC	20 VAC	32 VDC
Switch Main Contact Current Rating	200 A	250 A	250 A	200 A
Termination Thread Size	M10	M8	M10	M8
Switch Mounting Option	Center Mount	Round Flange	Round Flange	Round Flange
Operating Handle Type	Pointer Key	Double Wing	Lever	45° Turn Off
Switch Keying Option	Not Removable	Not Removable	Removable Without Chain	Removable Without Chain
Operating Handle Color	Red	Black	Red	Black
EU RoHS Directive 2011/65 /EU	Not Yet Reviewed for EU RoHS	EU RoHS Compliant with Exemptions	EU RoHS Compliant with Exemptions	Not Yet Reviewed for EU RoHS
EU ELV Directive 2000/53/EC	Not Yet Reviewed for EU ELV	EU ELV Compliant with Exemptions	EU ELV Compliant with Exemptions	Not Yet Reviewed for EU ELV
Product Families	KISSLING	KISSLING	KISSLING	KISSLING
Series	KISSLING Series 35	KISSLING Series 35	KISSLING Series 35	KISSLING Series 35

**\*EU RoHS Directive 2011/65/EU**

These products comply with the substance restrictions of the Restriction on Hazardous Substances Directive 2011/65/EU (RoHS2). The RoHS2 Directive requires that certain electrical and electronic equipment products do not contain mercury, cadmium, hexavalent chromium, PBB, PBDE, lead, DEHP, BBP, DBP and DIBP above defined thresholds. Products indicated as 'Compliant' do not contain any of these substances above the prohibition thresholds. Finished electrical and electronic equipment products will be CE marked as required by the Directive. Components may not be CE marked.

**\*\*EU ELV Directive 2000/53/EC**

These products comply with the substance restrictions of the End of Life Vehicles Directive 2000/53/EC (ELV). The ELV Directive requires that materials and components of vehicles do not contain mercury, cadmium, hexavalent chromium, and lead above defined thresholds. Products indicated as 'Compliant' do not contain any of these substances above the prohibition thresholds.

Products (3 of 5)



Battery Disconnecter 35-200-901



Battery Disconnecter 35-202



Battery Disconnecter 35-210-000-R



Battery Disconnecter 35-210-001-R

TE Part #	K1060710	K1060663	K1122409	K1157810
Operating Voltage	32 VDC	32 VDC	32 VDC	32 VDC
Switch Main Contact Current Rating	200 A	250 A	200 A	200 A
Termination Thread Size	M10	M10	M8	M8
Switch Mounting Option	Round Flange	Round Flange	Round Flange	Round Flange
Operating Handle Type	T-Handle	Lever	Lever	Lever
Switch Keying Option	Not Removable	Removable Without Chain	Removable Without Chain	Not Removable
Operating Handle Color	Red	Red	Red	Red
EU RoHS Directive 2011/65/EU	EU RoHS Compliant with Exemptions	EU RoHS Compliant with Exemptions	Not Yet Reviewed for EU RoHS	Not Yet Reviewed for EU RoHS
EU ELV Directive 2000/53/EC	EU ELV Compliant with Exemptions	EU ELV Compliant with Exemptions	Not Yet Reviewed for EU ELV	Not Yet Reviewed for EU ELV
Product Families	KISSLING	KISSLING	KISSLING	KISSLING
Series	KISSLING Series 35	KISSLING Series 35	KISSLING Series 35	KISSLING Series 35

**\*EU RoHS Directive 2011/65/EU**

These products comply with the substance restrictions of the Restriction on Hazardous Substances Directive 2011/65/EU (RoHS2). The RoHS2 Directive requires that certain electrical and electronic equipment products do not contain mercury, cadmium, hexavalent chromium, PBB, PBDE, lead, DEHP, BBP, DBP and DIBP above defined thresholds. Products indicated as 'Compliant' do not contain any of these substances above the prohibition thresholds. Finished electrical and electronic equipment products will be CE marked as required by the Directive. Components may not be CE marked.

**\*\*EU ELV Directive 2000/53/EC**

These products comply with the substance restrictions of the End of Life Vehicles Directive 2000/53/EC (ELV). The ELV Directive requires that materials and components of vehicles do not contain mercury, cadmium, hexavalent chromium, and lead above defined thresholds. Products indicated as 'Compliant' do not contain any of these substances above the prohibition thresholds.

Products (4 of 5)



Battery Disconnecter 35-210-021-S

Battery Disconnecter 35-210-030-R

Battery Disconnecter 35-210-041-R

Battery Disconnecter 35-210-050-R-900

TE Part #	K1136395	K1160402	K1132979	K1149711
Operating Voltage	32 VDC	32 VDC	32 VDC	80 VDC
Switch Main Contact Current Rating	250 A	200 A	200 A	250 A
Termination Thread Size	M8	M8	M8	M8
Switch Mounting Option	Round Flange	Round Flange	Round Flange	Round Flange
Operating Handle Type	45° Turn Off	T-Handle	Double Wing	Pointer Key
Switch Keying Option	Not Removable	Removable Without Chain	Not Removable	Removable Without Chain
Operating Handle Color	Black	Red	Red	Red
EU RoHS Directive 2011/65/EU	Not Yet Reviewed for EU RoHS	EU RoHS Compliant with Exemptions	Not Yet Reviewed for EU RoHS	EU RoHS Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed for EU ELV	EU ELV Compliant with Exemptions	Not Yet Reviewed for EU ELV	EU ELV Compliant with Exemptions
Product Families	KISSLING	KISSLING	KISSLING	KISSLING
Series	KISSLING Series 35	KISSLING Series 35	KISSLING Series 35	KISSLING Series 35

**\*EU RoHS Directive 2011/65/EU**

These products comply with the substance restrictions of the Restriction on Hazardous Substances Directive 2011/65/EU (RoHS2). The RoHS2 Directive requires that certain electrical and electronic equipment products do not contain mercury, cadmium, hexavalent chromium, PBB, PBDE, lead, DEHP, BBP, DBP and DIBP above defined thresholds. Products indicated as 'Compliant' do not contain any of these substances above the prohibition thresholds. Finished electrical and electronic equipment products will be CE marked as required by the Directive. Components may not be CE marked.

**\*\*EU ELV Directive 2000/53/EC**

These products comply with the substance restrictions of the End of Life Vehicles Directive 2000/53/EC (ELV). The ELV Directive requires that materials and components of vehicles do not contain mercury, cadmium, hexavalent chromium, and lead above defined thresholds. Products indicated as 'Compliant' do not contain any of these substances above the prohibition thresholds.

Products (5 of 5)



**Battery Disconnecter 35-210-051-R**

**Battery Disconnecter 35-210-051-R-900**

**Battery Disconnecter 35-210-051-R-901**

**Battery Disconnecter 35-210-060-R**

TE Part #	K1131882	K1142884	K1164297	K1135221
Operating Voltage	32 VDC	80 VDC	32 VDC	32 VDC
Switch Main Contact Current Rating	200 A	250 A	200 A	200 A
Termination Thread Size	M8	M8	M8	M8
Switch Mounting Option	Round Flange	Round Flange	Round Flange	Round Flange
Operating Handle Type	Pointer Key	Pointer Key	Pointer Key	Lever
Switch Keying Option	Not Removable	Not Removable	Not Removable	Removable With Chain
Operating Handle Color	Red	Red	Red	Red
EU RoHS Directive 2011/65/EU	EU RoHS Compliant with Exemptions	EU RoHS Compliant with Exemptions	EU RoHS Compliant with Exemptions	EU RoHS Compliant with Exemptions
EU ELV Directive 2000/53/EC	EU ELV Compliant with Exemptions	EU ELV Compliant with Exemptions	EU ELV Compliant with Exemptions	EU ELV Compliant with Exemptions
Product Families	KISSLING	KISSLING	KISSLING	KISSLING
Series	KISSLING Series 35	KISSLING Series 35	KISSLING Series 35	KISSLING Series 35

**\*EU RoHS Directive 2011/65/EU**

These products comply with the substance restrictions of the Restriction on Hazardous Substances Directive 2011/65/EU (RoHS2). The RoHS2 Directive requires that certain electrical and electronic equipment products do not contain mercury, cadmium, hexavalent chromium, PBB, PBDE, lead, DEHP, BBP, DBP and DIBP above defined thresholds. Products indicated as 'Compliant' do not contain any of these substances above the prohibition thresholds. Finished electrical and electronic equipment products will be CE marked as required by the Directive. Components may not be CE marked.

**\*\*EU ELV Directive 2000/53/EC**

These products comply with the substance restrictions of the End of Life Vehicles Directive 2000/53/EC (ELV). The ELV Directive requires that materials and components of vehicles do not contain mercury, cadmium, hexavalent chromium, and lead above defined thresholds. Products indicated as 'Compliant' do not contain any of these substances above the prohibition thresholds.



## Related Materials

[KISSLING BATTERY DISCONNECTOR - Series 35 / 200A](#)