



TMR 120 POWER LATCHING RELAY

TE Connectivity's (TE) TMR 120 Relay Series is a power latching relay that is primarily designed for charging stations and metering applications. With the design of an auxiliary contact, it is able to monitor the status of the main contact and ensure the safety in abnormal situations. With the development of charging station markets, the power of the charging station is increasing, TMR 120 Relay can switch to 120A current at rated voltage to meet these requirements. The TMR Relay Series is a high performing relay, with terminals that can be customized which makes it easy to design in.

BENEFITS

- Lower heat rise and energy saving
- Improves platform to higher power
- Allows for safe monitoring of the charging stations
- Enables easy design-in process to customers applications

KEY FEATURES

- Latching/bi-stable
- High switching capability at 120A
- Auxiliary contact available
- Terminals can be customized according to customer requirement
- High short-circuit capacity

TMR 120 Power Latching Relay

APPLICATIONS

- EV Charging
- Smart Metering

MATERIALS

- Ag alloy (Cd free)

ELECTRICAL

- 120A, 24VDC, resistive

MECHANICAL

- Customized terminals
- Auxiliary contact available

SPECIFICATIONS

- 10kcycles
- Short circuit capability meets IEC62055-31 UC3

Part Number List

Product code	Version	Coil	Contact Material	Contact Terminals	Part Number
TMR120-1H4-B012D10,03000	Vertical	12V Bistable, 1 Coil 3W	Ag alloy	Angled	2071540-1

te.com

© 2020 TE Connectivity. All Rights Reserved.

TE Connectivity, TE connectivity (logo) and Every Connection Counts are trademarks owned or licensed by TE Connectivity. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

While TE has made every reasonable effort to ensure the accuracy of the information in this brochure, TE does not guarantee that it is error-free, nor does TE make any other representation, warranty or guarantee that the information is accurate, correct, reliable or current. TE reserves the right to make any adjustments to the information contained herein at any time without notice. TE expressly disclaims all implied warranties regarding the information contained herein, including, but not limited to, any implied warranties of merchantability or fitness for a particular purpose. The dimensions in this catalog are for reference purposes only and are subject to change without notice. Specifications are subject to change without notice. Consult TE for the latest dimensions and design specifications.

2-1773984-9 08/20 AK