







# Consumer (Toys)











Consumer

Toys

emote Controlled Helicopters /	2
uadrocopters	
utdoor Cameras	3

More information on the Engineer's Toolbox, including product datasheet links, can be found at www.vishay.com/ref/et3.

For inquiries, please contact your local sales representative.





# Key components for TOYS











# Low-Profile, High-Current IHLP® Inductors



#### IHLP-2525

- Compact power inductor for highcurrent DC/DC conversion
- High-frequency energy storage up to 5 MHz

OPTOFI FCTRONICS

# High-Speed, High-Power 940 nm Infrared Emitting Diode

#### **VSLB3948**

- Radiant intensity of 65 mW/sr with I<sub>F</sub> = 100 mA
- Angle of half intensity of ± 22°

CERAMIC CAPACITORS

# Ultra-Stable Dielectric Formulation, Low Dissipation Factor (DF)



### MLCC High Q Capacitors

- Ultra-stable dielectric formulation, low dissipation factor (DF)
- Robust design build with wet process and noble metal electrodes

**OPTOELECTRONICS** 

## IR Receiver Modules for Remote Control Systems



#### TSOP75438

- Very low supply current, photo detector and preamplifier in one package
- Supply voltage: 2.5 V to 5.5 V, capable of side or top view

**DISPLAYS** 

# High-Quality Displays Offer Excellent Human-to-Machine Interface Solutions



- Standard and custom display / modules for flight control and monitoring
- High brightness options for LCD, OLED, and color TFT

**OPTOELECTRONICS** 

# Silicon NPN Phototransistor with High Radiant Sensitivity

## **TEFT4300**

- Collector light current of 3.2 mA with E<sub>a</sub> = 1 mW/cm<sup>2</sup>
- Daylight blocking filter matched with 940 nm emitters

TANTALUM CAPACITORS

# vPolyTan™ Polymar Tantalum Capacitors



#### T55

- High-capacitance, ultra low-ESR polymer tantalum capacitors
- Small case size, low profile

**ENERGY STORAGE CAPACITORS** 

# Hybrid Storage Capacitors

# orage

#### 196 HVC ENYCAP™

- Power back up and battery pulse power support
- Very small size and high energy density

View datasheets for these products www.vishay.com/ref/et3cn4a







# **Outdoor Cameras**



# High-Speed, High-Power 940 nm Infrared Emitting Diode

#### **VSLB3948**

- Radiant intensity of 65 mW/sr with  $I_{r} = 100 \text{ mA}$
- Angle of half intensity of ± 22°

#### CERAMIC CAPACITORS

# Body Sizes: 0402 to 3838, **Excellent Power Handling** Capabilities

#### **MLCC RF Capacitors**

- Non-magnetic available with copper or epoxy bondable termination
- Lead-bearing termination available for hi-rel applications

#### DISPLAYS

# **High-Quality Displays Offer Excellent Human-to-Machine** Interface Solutions

#### LCD, Color TFT, OLED

- Standard and custom display / modules for flight control and monitoring
- High brightness options for LCD, OLED, and color TFT



# **Professional Thin Film Chip Resistors**

#### MCS0402

- Excellent stability class 0.5, cost efficient
- CECC approved acc. EN 140401-801, sulfur resistant

#### **NON-LINEAR RESISTORS**

## **SMD Glass Protected NTC Thermistors**

#### NTCS0402

- Glass protected with soft terminations
- Small size, high accuracy, easy to read out

#### **OPTOELECTRONICS**

# Silicon NPN Phototransistor with **High Radiant Sensitivity**

#### **TEFT4300**

- Collector light current of 3.2 mA with  $E_a = 1 \text{ mW/cm}^2$
- Daylight blocking filter matched with 940 nm emitters



# Hybrid Storage Capacitors

#### 196 HVC ENYCAP™

- Small size and high energy density for BT and GPS support
- Scalable, flexible voltages, easy to charge

#### TANTAL UM CAPACITORS

Solid Tantalum Chip Capacitors 298D MICROTAN®, 298W Extended Range MICROTAN

- High capacitance in small case sizes including 0603 and 0402 footprint
- Perfect for space constrained designs

View datasheets for these products www.vishay.com/ref/et3cn4b











# ABOUT TTI, INC.

TTI Inc., a subsidiary of Berkshire Hathaway, is a world leading specialist distributor of connectors and passive, electromechanical and discrete components. TTI's philosophy is "Lead by Design", and the company differentiates itself by focusing on people, parts and processes. The company's aim is to become the distributor of choice for customers and suppliers in Europe alike by introducing new product technologies and by stocking broad and deep across its franchise base. TTI employs sophisticated inventory management processes which ensure that the company can react immediately to changes in component demand due to fluctuating markets and supply chains. For further information about TTI, please refer to: www.ttieurope.com.





#### TTI, INC.

Ganghoferstr. 34 82216 Maisach-Gernlinden Germany

Tel.: +49 (0)8142 6680 - 0 Fax: +49 (0)8142 6680 - 490 Email: sales@de.ttiinc.com