





Amphenol PCD

Engineering Change Request		ECR Number		10415W
Initiator:	Wayne	Date:	2026.06.22	
Part number description				
Item	K3 Code material part numbers	Drawing/ Doc Number	Version of current related document	New Version
1	See attached list of changed part numbers	/	/	/
2	/	/	/	/
Reason of change:				
☐ Customer requirement (list the feasibility analysis of customer specification: _____) ☐ Supplier request (list the PCR number: _____) ☐ internal improvement ☐ corrective ☒ other				
Please describe here in detail:				
To improve the salt spray resistance of the locking screws on the back cover of the Gen3 CCS2 socket, the salt spray requirement has been upgraded from 96H to 240H. This change is solely for enhancing the product's salt spray resistance rating and has no impact on its original functionality..				
Change level and impact assessment (Please tick in the appropriate position)				
Change level	Change content	Concerned area (Shenzhen, Hermosillo, Chennai)	Whether to notify the customer	
Level 1	☐ Operator change		☐ It is not necessary to notify the customer for approval	
	☐ Correct the clerical errors of the drawing, BOM, etc., and this change will not affect the production process			
Level 2	☐ Change of Main production equipment or tools/Jigs		☒ <u>Customers should be notified for approval</u> ☐ <u>It is not necessary to notify the customer for approval, the reasons are as follows:</u>	
	☐ Change of main measuring equipment or tools/Jigs			
	☐ Appearance changes that do not affect product functions			
	☒ Changes in production process or processing technology			
	☐ Product structure or specification changes that have not been transferred to mass production			
	☐ Product structure or specification changes that have been transferred to mass production			
	☐ Supplier's production process change or supplier's production site change or addition or replacement of suppliers			
Level 3	☐ Change of production site		☐ Customers should be notified for approval	
	☐ Product material changes			
	☐ Change of packaging method			
	☐ Changes proposed by the customer			

Before change		After change	
1. Salt spray requirement: 72H; Specification: ST2.9×10; Color: Silver 2. Part number: C210006302 		1. Salt spray requirement: 240H; Specification: ST2.9×12; Color: Grey 2. Part number: P01BM00214 	
Disposition of old materials ☐ Rework ☒ Use as it is ☐ scrap ☐ Other (please describe) : _____. ☐ N/A		Expect date to switch to new material <u>2026.07.15</u>	
Approval by the supervisor of requester.: <i>Jack</i>		Approval by the head manager of the request dept.: <i>dinghong</i>	
Customer approval : ☐ Approved ☐ No approved ☐ Conditional approval (please describe) : Signature : _____ Date : _____			
Remark:			

Dear TTI Team,

To improve the salt spray resistance of the locking screws on the back cover of the Gen3 CCS2 socket, the salt spray requirement has been upgraded from 96H to 240H. **This change is solely for enhancing the product's salt spray resistance rating and has no impact on its original functionality..**

Attached pls find the ECR, pls kindly note and help inform your end customer to sign back within 2 weeks if no problem, no response within 2 weeks will be deemed as consent.
Thank you

Related your PN as below:

P/N	Description
P08B006558	200A HVCOCF09C2L10000
P08B008328	200A HVCOCF09C2L13000
P08B006557	200A HVCOCF09C2L2500
HVCOCFD01BL1000	300A HVCOCFD01BL1000
P08B012131	CCS2 INLET 200A 1000V HVCOCF09C2L18000
P08B009788	CCS2 INLET 200A 1000V HVCOCF09C2L3000

Sandy Xia | Amphenol PCD Shenzhen

O: +86 755-8173-8000 ext.8533 | M: +86 157-7922-5480