

2025. Nov.24<sup>th</sup>  
Nippon chemicon Co., Ltd.

Chemicon Wuxi Co., Ltd.  
General Manager  
Takashi Sakurai

### Announcement Regarding Reel Shape Change

We sincerely appreciate your ongoing support and patronage. We would like to request a partial modification to the shape of the packaging reels for the aluminum electrolytic capacitors we supply to your company.

—Info—

#### 1. Target Products

Chip-type aluminum electrolytic capacitors, sizes  $\Phi 12.5$  to  $\Phi 18$ ,  $\Phi 380$  reel packaging

#### 2. Details and Reasons for Changes

To standardize shapes within the supplier, we will implement the following changes:

- ① Eliminate the label application guide for the part number stamping area
  - ② Slightly adjust the part number stamping position
  - ③ Change the dimensions of the inner flange section on the reel side plate
  - ④ Eliminate the circular groove on the inner flange section
- Material and other dimensions remain unchanged.

For details regarding the changes, please refer to the attachment.

#### 3. Effective Date

Changes will be implemented at any time after your approval.

We kindly request that you sign and return the document below after confirming receipt at your company.

Desired response date : 2025. -----  
-----

#### Signature Section

We have received the above notification (Technical Report - U25C010219).

Received date :









Affiliation :

Name :

signature  
-----

Yours Sincerely

**Details of Mold Changes for MV2 Reels (RRM32G/RRM44G)**

No	Details of Changes	After change		Benefits after the change
		Before change	After change	
1	<p>Remove the label attachment frame on the part number stamp side</p> <p>*The frame behind the part number stamp will remain</p>			<p>Preventing customer label placement errors</p>
2	<p>Dimension correction from reel center to bottom of engraving (EIAJ-RRM XXG-NM) (179mm ⇒ 177mm)</p> <p>*Only the engraving position changes; the reel outer diameter remains unchanged.</p>			-
3	<p>Inner Flange Diameter Change (φ88mm ⇒ φ96mm)</p> <p>*Center hole dimensions remain unchanged.</p>			<p>Reducing the incidence of reel deformation</p>
4	<p>Remove the circular groove on the inner flange section</p>			

Hi TTI PCN team,

I hope you are doing well.

We sincerely appreciate your ongoing support and patronage.

We would like to request a partial modification to the shape of the packaging reels for the aluminum electrolytic capacitors we supply to your company.

Attached please find the details.

Please find the affected TTI SH part list in our system as follows.

Thank you for your understanding and cooperation.

<b>Customer Parts Number</b>	<b>Global Item Number</b>	<b>MPN</b>
<b>50001449-008</b>	EMVE101ARA101MKE0S+002	EMVE101ARA101MKE0S
<b>CA00036</b>	EMVH630ARA101MKE0S+002	EMVH630ARA101MKE0S
<b>CAP05R0003120</b>	EMVY101ARA101MKE0S+002	EMVY101ARA101MKE0S
<b>PFSDL433991</b>	EMVY800ARA101MKE0S+001	EMVY800ARA101MKE0S
<b>SSE20070-331</b>	EMVH250ARA331MKE0S+002	EMVH250ARA331MKE0S
<b>XXH0812A00100</b>	EMVY101ARA470MKE0S+002	EMVY101ARA470MKE0S

Regards,

Sky Ouyang